

PRODUCT-DETAILS

# AT21/M25/A/BLY

## STRAIGHT M25 IP66.69/NC21 BLK/YW



### General Information

|                       |                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | AT21/M25/A/BLY                                                                                                                                                    |
| Product ID            | 7TCA296170R0291                                                                                                                                                   |
| EAN                   | 5020963037528                                                                                                                                                     |
| Catalog Description   | STRAIGHT M25 IP66.69/NC21 BLK/YW                                                                                                                                  |
| Long Description      | Adaptalok ATS, Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 21mm, M25 Thread, Polyamide (Nylon) 66/TPE, Black with Yellow Elastomer |

### Additional Information

|              |                                                                    |
|--------------|--------------------------------------------------------------------|
| Application  | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type | Conduit Fitting with Metric Threads                                |

### Ordering

|                       |               |
|-----------------------|---------------|
| EAN                   | 5020963037528 |
| UPC                   | 786210257037  |
| Customs Tariff Number | 3917400090    |

### Technical

|                     |   |
|---------------------|---|
| Number of Batteries | 0 |
|---------------------|---|

|          |                        |
|----------|------------------------|
| Color    | Black/Yellow Elastomer |
| Material | Polyamide/Nylon 6.6    |
| Size     | NC 21mm                |

---

## Environmental

|               |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

---

## Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 10 piece          |
| Package Level 1 Height         | 9.84 in<br>250 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 7.87 in<br>200 mm |

---

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | AT21/M25/A/BLY  |
| Instructions and Manuals          | AT21/M25/A/BLY  |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

---

## Classifications

|        |                                                         |
|--------|---------------------------------------------------------|
| ETIM 8 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC | 39121311                                                |

---

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

