

PRODUCT-DETAILS

PAFS28/BL/50M

PA6 STAND.WEIGHT NC28 50MT BLK



General Information

Extended Product Type	PAFS28/BL/50M
Product ID	7TCA296000R2234
EAN	5020963000430
Catalog Description	PA6 STAND.WEIGHT NC28 50MT BLK
Long Description	Standard Weight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Fine Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 22.6mm, Static Bend Radius 50mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Standard Weight Conduit with Fine Pitch

Ordering

EAN	5020963000430
UPC	786210147116
Customs Tariff Number	3926909985

Dimensions

Product Net Depth / Length	50 m
----------------------------	------

Technical

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	9.06 in 230 mm
Package Level 1 Depth / Length	24.02 in 610 mm
Package Level 1 Width	24.02 in 610 mm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFS28/BL/50M
Instructions and Manuals	PAFS28/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

