# Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications





# Exhaust fan, Airflow, ceiling, 200mm blade dia, white

CE200N

## Main

Range of product	Airflow	
Range	Airflow	
Product brand	Clipsal	
Product or component type	Exhaust fan	
Product destination	Ceiling fitting	
Main colour tint	White	
Colour tint	White	

# Complementary

Provided equipment	Fan 110 mm 200 mm	
[Ue] rated operational voltage	230 V AC 50 Hz	
Material	ABS (acrylonitrile butadiene-styrene)	
air flow	260 m3/h	
Diameter	305 mm impeller:	
Power consumption in W	30 W	
[In] rated current	0.21 A full load	
Plug & lead length	850 mm	
Cut-out dimensions	240 mm diameter	
Depth	110 mm	
Motor type	Ball bearing	
Number of blades	3	
Noise level	45 dB	
Fan type	Axial	

# **Environment**

IP degree of protection IPx4

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	31 cm
Package 1 Width	12.5 cm

Package 1 Length	31 cm
Package 1 Weight	1.335 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	72
Package 2 Height	114 cm
Package 2 Width	113 cm
Package 2 Length	113 cm
Package 2 Weight	120 kg

# **Contractual warranty**

Warranty 3 Years



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

### Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	321
Environmental Disclosure	Product Environmental Profile

### **Use Better**

Recycled metal content at CR level	0
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

### Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Halogen content performance	Halogen free plastic parts product
Take-back	No