

Screwdrivers

ERGO & INSULATED SCREWDRIVERS

**TRADESMEN
QUALITY
EUROPEAN MADE**

ERGO SCREWDRIVERS

Slotted Head - Flat Tip

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8010	0010615	Overall Length 152mm, blade length 50mm, tip size 2.5mm	5
BE-8020	0010639	Overall Length 152mm, blade length 50mm, tip size 3.0mm	5
BE-8030	0010653	Overall Length 197mm, blade length 75mm, tip size 3.5mm	5
BE-8040	0010677	Overall Length 222mm, blade length 100mm, tip size 4.0mm	5
BE-8150	0010707	Overall Length 222mm, blade length 100mm, tip size 5.5mm	5
BE-8155	0010721	Overall Length 247mm, blade length 125mm, tip size 6.5mm	5
BE-8160	0010745	Overall Length 247mm, blade length 125mm, tip size 8.0mm	5



SLOTTED HEAD

Square Shank, Flat Tip

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8865	0010851	Overall Length 336mm, blade length 175mm, tip size 8.0mm	5
BE-8870	0010875	Overall Length 336mm, blade length 175mm, tip size 10.0mm	5
BE-8880	0010899	Overall Length 361mm, blade length 200mm, tip size 12.0mm	5
BE-8890	0010905	Overall Length 361mm, blade length 200mm, tip size 14.0mm	5
BE-8340	1838621	Overall Length 83mm, blade length 25mm, tip size 4.0mm	5
BE-8350	1838638	Overall Length 83mm, blade length 25mm, tip size 5.5mm	5



Screwdrivers

PHILLIPS HEAD (PH)

**TRADESMEN
QUALITY
EUROPEAN MADE**



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8600	0010769	Overall Length 162mm, blade length 60mm, tip size No.0	5
BE-8610	0010776	Overall Length 197mm, blade length 75mm, tip size No.1	5
BE-8620	0010783	Overall Length 222mm, blade length 100mm, tip size No.2	5
BE-8620L	1838690	Overall Length 322mm, blade length 200mm, tip size PH2	5
BE-8630	0010790	Overall Length 272mm, blade length 150mm, tip size No.3	5
BE-8640	0010806	Overall Length 361mm, blade length 200mm, tip size No.4	5
BE-8601	1838706	Overall Length 83mm, blade length 25mm, tip size No.1	5
BE-8602	1838713	Overall Length 83mm, blade length 25mm, tip size No.2	5



POSIDRIVE



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8800	0042012	Overall Length 162mm, blade length 60mm, tip size No.0	5
BE-8810	0010813	Overall Length 197mm, blade length 75mm, tip size No.1	5
BE-8820	0010820	Overall Length 222mm, blade length 100mm, tip size No.2	5
BE-8830	0010837	Overall Length 272mm, blade length 150mm, tip size No.3	5
BE-8840	0010844	Overall Length 361mm, blade length 200mm, tip size No.4	5

SLOTTED HEAD

"Insulated" to withstand up to 1000V



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8010S	0033058	Overall Length 177mm, blade length 75mm, tip size 2.5mm	5
BE-8040S	0033089	Overall Length 222mm, blade length 100mm, tip size 4.0mm	5
BE-8050S	0033096	Overall Length 247mm, blade length 125mm, tip size 5.5mm	5
BE-8065S	0033119	Overall Length 297mm, blade length 175mm, tip size 8.0mm	5

Screwdrivers

PHILLIPS HEAD (PH)

"Insulated" to withstand up to 1000V



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8600S	0033126	Overall Length 162mm, blade length 60mm, tip size No.0	5
BE-8610S	0033133	Overall Length 222mm, blade length 80mm, tip size No.1	5
BE-8620S	0033140	Overall Length 222mm, blade length 100mm, tip size No.2	5
BE-8630S	0033157	Overall Length 272mm, blade length 150mm, tip size No.3	5
BE-8640S	0033164	Overall Length 361mm, blade length 200mm, tip size No.4	5

POSIDRIVE

"Insulated" to withstand up to 1000V



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-8810S	0048298	Overall Length 202mm, blade length 80mm, tip size No.1	5
BE-8820S	0048304	Overall Length 222mm, blade length 100mm, tip size No.2	5

NZL

NZL

ELECTRICIAN'S POUCH

(With Tools)

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
4750-ETK	3016058	Set contains 1 each of: 1 x BE-8040S - 0.8 x 4x100 - 1000v 1 x BE-8230S - 0.6 x 3.5 x100 - 1000v 1 x BE-8620S - PH2 x 100 -1000v 1 x BE-8820S - PZ2 x 100 - 1000v 1 x 2233 D-240 - 240mm Cutting Stripper Plier 1 x 4750-EP-1 Electricians Pouch 1 x BE-8220S - 0.5 x3 x 100 -1000v 1 x BE-8610S - PH1 x 80 -1000v 1 x BE-8810S - PZ1 x75 -1000v 1 x 2101G-180 Side Cutter 1 x 239 - Mini Hacksaw 1 x 4750-QRLB-1 Quick Release Belt	1



Screwdrivers

ERGO & INSULATED SCREWDRIVERS

**TRADESMEN
QUALITY
EUROPEAN MADE**

ERGO SCREWDRIVER SETS

1000V

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-9881S	1839307	ERGO handled 5 piece 1000V Screwdriver Set Set Contains: 3 x Slotted: 0.5 X 3 X 100, 0.8 X 4 X 100 & 1 X 1.5 X 125 2 Phillips Head: PH1 x 80, PH2 x 100	1
BE-9882S	1839314	ERGO handled 5 piece 1000V Screwdriver Set Set Contains: 3 x Slotted: 0.5 x 3 x 100, 0.8 x 4 x 100 & 1 x 1.5 x 125 2 POZI Drive: PZ1-80 & PZ2-100	1
BE-9888S	3006158	ERGO handled 7 piece 1000V Screwdriver Set Set Contains: 4 x Slotted: 0.4 x 2.5 x 75, 0.5 x 3.0 x 100, 0.8 x 4 x 100 & 1 x 1.5 x 125 3 x POZI Drive: PZ0 x 75, PZ2 x 100 & PZ3 x 150	1



ERGO SCREWDRIVER SETS

Standard

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-9881	0043279	ERGO handled 6 piece Screwdriver Set Set contains: 4 x Slotted: 0.5 x 3 x 60, 0.8 x 4 x 100, 1.0 x 5.5 x 100 & 1.2 x 6.5 x 125 2 x Phillips Head: PH1 x 75 & PH2 x 100	1
BE-9886	0048472	ERGO Handled 6 piece Screwdriver Set Set Contains: 2 x Slotted: 0.6 x 3.5 x 75, 1 x 5.5 x 100 2 x Phillips Head: PH1 x 75 & PH2 x 100 2 x POZI Drive: PZ1 x 75 & PZ2 x 100	1



Screwdrivers

ERGO SCREWDRIVERS

**TRADESMEN
QUALITY
EUROPEAN MADE**

Slotted Head - Flared Tip



PRODUCT CODE	EAN 731415+		PACK QTY
BE-8020L	1838591	Overall Length 197mm, blade length 75mm, tip size 3.0mm	5
BE-8210	1838584	Overall Length 197mm, blade length 75mm, tip size 2.5mm	5
BE-8220	0047741	Overall Length 247mm, blade length 125mm, tip size 3.0mm	5
BE-8230	0047758	Overall Length 247mm, blade length 125mm, tip size 3.5mm	5
BE-8240	0047765	Overall Length 297mm, blade length 175mm, tip size 4.0mm	5
BE-8250	0047772	Overall Length 272mm, blade length 150mm, tip size 5.5mm	5
BE-8255	0047789	Overall Length 272mm, blade length 150mm, tip size 6.5mm	5

Torx



PRODUCT CODE	EAN 731415+		PACK QTY
BE-8906	0027729	Overall Length 197mm, blade length 75mm, tip size T6	5
BE-8907	0027736	Overall Length 197mm, blade length 75mm, tip size T7	5
BE-8908	0027743	Overall Length 197mm, blade length 75mm, tip size T8	5
BE-8910	0027767	Overall Length 197mm, blade length 75mm, tip size T10	5
BE-8915	0027774	Overall Length 222mm, blade length 100mm, tip size T15	5
BE-8920	0027781	Overall Length 222mm, blade length 100mm, tip size T20	5
BE-8925	0027798	Overall Length 247mm, blade length 125mm, tip size T25	5
BE-8927	0027804	Overall Length 247mm, blade length 125mm, tip size T27	5
BE-8930	0027811	Overall Length 272mm, blade length 150mm, tip size T30	5

Robertson



PRODUCT CODE	EAN 731415+		PACK QTY
BE-9001	8269005	Overall Length 202mm, blade length 80mm, tip size No.1	1
BE-9002	8269012	Overall Length 202mm, blade length 80mm, tip size No.2	1
BE-9003	8269029	Overall Length 202mm, blade length 80mm, tip size No.3	1

Screwdrivers

Hexagon Ball End



PRODUCT CODE	EAN 731415+		PACK QTY
BE-8702	1838768	Overall Length 222mm, blade length 100mm, tip size 2.0mm	5
BE-8725	1838775	Overall Length 222mm, blade length 100mm, tip size 2.5mm	5
BE-8703	0027651	Overall Length 222mm, blade length 100mm, tip size 3.0mm	5
BE-8704	0027668	Overall Length 222mm, blade length 100mm, tip size 4.0mm	5
BE-8705	0027675	Overall Length 222mm, blade length 100mm, tip size 5.0mm	5
BE-8706	0027682	Overall Length 247mm, blade length 125mm, tip size 6.0mm	5
BE-8708	0027699	Overall Length 272mm, blade length 150mm, tip size 8.0mm	5
BE-8710	0027705	Overall Length 311mm, blade length 150mm, tip size 10.0mm	5

**TRADESMEN
QUALITY
EUROPEAN MADE**

Slotted Head "Insulated" to withstand up to 1000v



PRODUCT CODE	EAN 731415+		PACK QTY
BE-8220S	0048243	Overall Length 222mm, blade length 100mm, tip size 3.0mm	5
BE-8230S	0048250	Overall Length 222mm, blade length 100mm, tip size 3.5mm	5
BE-8255S	0048281	Overall Length 272mm, blade length 150mm, tip size 6.5mm	5

Screwdrivers

800 SERIES SCREWDRIVERS

Slotted Head - Flat Tip

TRADESMEN
QUALITY
EUROPEAN MADE



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB811-5.5-100	3001153	Slotted. Overall Length: 85mm, Blade Length: 25mm, tip size: 5.5mm	1
SB811-6.5-125	3001177	Slotted. Overall Length: 85mm, Blade Length : 25mm, tip size : 6.5mm	1
SB811-8-150	3001191	Slotted. Overall Length: 260mm, Blade Length: 150mm, tip size : 8mm	1
SB813-4-125	3001269	Slotted. Overall Length: 215mm, Blade Length: 125mm, tip size: 4mm	1
SB813-5.5-150	3001276	Slotted. Overall Length: 250mm, Blade Length: 150mm, tip size : 5.5mm	1
SB813-3.5-100	3001245	Slotted. Overall Length: 190mm, Blade Length: 100mm, tip size: 3.5mm	1
SB813-3-75	3001221	Slotted. Length: 165mm, Blade: 75mm, Tip: 3mm	1

SLOTTED - INSULATED

To withstand up to 1000V



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB813VDE-3-100	3001627	Slotted. Insulated to 1000V. Overall Length:190mm, Blade Length : 100mm, tip size: 3mm	1
SB813VDE-4-100	3001641	Slotted. Insulated to 1000V. Overall Length:190mm. Blade Length: 100, tip size: 4mm	1

PHILLIPS HEAD (PH) - INSULATED

To withstand up to 1000V



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB815VDE-2-175	3001726	Phillips. Insulated to 1000V. Length:285mm, Blade: 175mm. No. 2	1

PHILLIPS HEAD (PH)



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB815-0-75	3001283	Phillips. Overall Length: 165mm, Blade Length: 75mm. No. 0	1
SB815-1-100	3001290	Phillips. Overall Length: 200mm, Blade Length:100mm. No. 1	1
SB815-2-125	3001306	Phillips. Overall Length: 235mm, Blade Length:125mm. No. 2	1
SB815-3-150	3001313	Phillips. Overall Length: 270mm, Blade Length:150mm. No. 3	1
SB815-2-25	3001481	Phillips Stubby Screwdriver. Overall Length: 85mm, Blade Length: 25mm. No. 2	1



Screwdrivers

POSIDRIVE

**TRADESMEN
QUALITY
EUROPEAN MADE**



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB816-1-100	3001337	Posidrive. Overall Length: 200mm, Blade Length: 100mm. No. 1	1
SB816-2-25	3001504	Posidrive. Overall Length: 85mm, Blade Length: 25mm. No. 2 (Stubby)	1
SB816-2-125	3001344	Posidrive. Overall Length: 235mm, Blade Length: 125mm. No. 2	1

TORX



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB818-6-75	3001368	Torx. Overall Length 165mm, Blade length: 75mm T6	1
SB818-7-75	3001375	Torx. Overall Length 165mm, Blade length: 75mm T7	1
SB818-15-100	3001412	Torx. Overall Length: 190mm, Blade Length: 100mm. T15	1
SB818-20-100	3001429	Torx. Length: 190mm, Blade: 100. T20	1

ROBINSON



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
SB812-1-100	0137804	Robinson (Square Drive). No 1	1
SB812-2-100	0197811	Robinson (Square Drive). No. 2	1

HEX & TORX KEY SETS

Blades: Chrome-Vanadium Steel, hardened, black finish..

Handle: Two component plastic handle, soft grip in the contact areas for higher torque. Resistant to impact. Unique eject button to release the blades. The sets permit to work in different positions between 90° and 270°. When turning a key into the work position, the remaining keys stay stored.



PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
BE-9777B	0188734	7 piece Hex Key Set. Sizes: 2.5, 3, 4, 5, 6, 8 & 10mm	6
BE-8975B	0188741	8 piece Torx Key Set. Sizes: TX9, 10, 15, 20, 25, 27, 30 & 40mm	6

Screwdrivers

RATCHET BIT SCREWDRIVER

Pistol Grip - 6 Bits

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
808050P	0128105	Ratchet Bit Screwdriver – Pistol Handle 260mm long, contains bits: PH1, PH2, PZ1, PZ2, SL4.5, SL5.5 Handle swivels and locks at 30° position for application of higher torque when necessary. Locks at 180° for normal operation. Cartridge style sliding bit holder in handle store six bits. Mode selection is quickly made by shifting the directional disc on the forward face of the tool. Alloy steel shank with strong magnet. Provides clockwise, counter clockwise and non-ratchet (fixed) modes.	1



RATCHET BIT SCREWDRIVER

6 Bits

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
808050	3017642	Ratchet Bit Screwdriver 255mm long, contains bits: PH1, PH2, PZ1, PZ2, SL 4.5 and 5.5 3 component handle with textured finish for maximum torque and minimum effort. Cartridge style sliding bit holder in handle stores six bits. Alloy steel shank with strong magnet blade to secure bit in screwdriver and makes bit changing easy. Three position ratchet mechanism, clockwise, counter clockwise and non-ratchet (fixed) modes.	1
808050TS	0128099	Stubby Ratcheting 1/4" bit holder screwdriver with T-Handle. Magnetic blade secures bit in screwdriver, allowing easy bit change. Smooth ratcheting stroke allowing 3 position ratchet mechanism: forward, reverse, neutral.	1



STUBBY RATCHET MINI SCREWDRIVER & SOCKET SET

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
808050S-18	0128921	18 piece Stubby Ratchet Screwdriver Set Set contains: 1 pce stubby ratchet screwdriver 8 pcs S2 zinc phosphate bits: PH1, PH2, PZ1, PZ2, T15, T20, SL4, EX 3 5 pcs 1/4" sockets: 4, 5, 6, 7 & 8mm 1 pc 1/4" x 1/4" socket adaptor 1 pce 1/4" sq. x 1/4" hex bit holder 50 mm 1 pce 1/4" sq. x 1/4" sq. flexible socket adaptor 150mm 1 pce 1/4" x 1/4" bit adaptor	1



Screwdrivers

VOLTAGE TESTER

Ergonomic screwdrivers with blades of vanadium-extra. Blades fine polished and bright chrome plated, fully hardened, black oxidised tips. Permanent colour code on both ends of handle for quick tip identification. Ergonomically developed 3 component handle which combines strong core with excellent grip. Only rounded shapes – no pressure points. Hole in handle for hanging.



PRODUCT CODE	EAN	DESCRIPTION	PACK QTY
806-1-1	731415+ 8003760	Length 65mm, tip size 3.0mm	6

BIT SETS

PRODUCT CODE	EAN	DESCRIPTION	PACK QTY
59S/31-1	0191451	31 piece Bit Set. Set contains: PH: PH1x1, PH2x3, PH3x1, PH2Gx2 PZ: PZx1, PZ2x2, PZ3x1 TORX: T10x1, T15x3, T20x3, T25x2, T27x1, T30x1 SLOTTED: 0.5 x 3.0 x 1, 0.6 x 4.5 x 1, 0.8 x 5.5 x 1 HEXAGONAL: 3.0 x 1, 4.0 x 1, 5.0 x 1, 6.0 x 1 1X Magnetic Quick Release Bit Holder	1



59S/31-3	0191475	31 piece Bit Set. Set contains: PH: PH1 X 2, PH2 X 2, PH3 X 1 PZ: PZ1 X 2, PZ2 X 2, PZ3 X 1 TORX TAMPER: TR10 x 2, TR15 x 3, TR20 x 5, TR25 x 4, TR27 x 1, TR30 x 4, TR40 x 1 1X Magnetic Quick Release Bit Holder	1
----------	---------	--	---



60T/31-1	0191482	31 piece Bit Set. Set contains: PH: PH1 x 1, PH2 x 3, PH3 x 1, PH2G x 2 PZ: PZ1 x 1, PZ2 x 3, PZ3 x 1 TORX: T10 x 1, T15 x 3, T20 x 3, T25 x 2, T27 x 1, T30 x 2 SLOTTED: 6.0 x 4.5 x 1, 8.0 x 5.5 x 1 HEXAGONAL: 3.0 x 1, 4.0 x 1, 5.0 x 1, 6.0 x 1 1X Magnetic Quick Release Bit Holder	1
----------	---------	---	---




Screwdrivers

T-HANDLE SCREWDRIVERS

**TRADESMEN
QUALITY
EUROPEAN MADE**

HEX Drivers

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
900T-020-100	3018106	Blade Length 103mm, Tip size 2mm	5
900T-025-100	3018113	Blade Length 103mm, Tip size 2.5mm	5
900T-030-100	3018120	Blade Length 103mm, Tip size 3mm	5
900T-040-150	3018137	Blade Length 136mm, Tip size 4mm	5
900T-050-150	3018144	Blade Length 136mm, Tip size 5mm	5
900T-060-200	3018151	Blade Length 185mm, Tip size 6mm	5
900T-080-200	3018168	Blade Length 185mm, Tip size 8mm	5
900T-100-200	3018175	Blade Length 185mm, Tip size 10mm	5



NUT Drivers

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
902T-050-150	3018311	Blade Length 136mm, Tip size 5mm	5
902T-055-150	3018328	Blade Length 136mm, Tip size 5.5mm	5
902T-060-150	3018335	Blade Length 136mm, Tip size 6mm	5
902T-070-175	3018342	Blade Length 160mm, Tip size 7mm	5
902T-080-175	3018359	Blade Length 160mm, Tip size 8mm	5
902T-090-175	3018366	Blade Length 160mm, Tip size 9mm	5
902T-100-175	3018373	Blade Length 160mm, Tip size 10mm	5
902T-110-175	3018380	Blade Length 160mm, Tip size 11mm	5
902T-120-175	3018397	Blade Length 160mm, Tip size 12mm	5
902T-130-175	3018403	Blade Length 160mm, Tip size 13mm	5



Screwdrivers

TORX Drivers

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
901T-006-100	3018182	Blade Length 103mm, Tip size T6	5
901T-007-100	3018199	Blade Length 103mm, Tip size T7	5
901T-008-100	3018205	Blade Length 103mm, Tip size T8	5
901T-009-100	3018212	Blade Length 103mm, Tip size T9	5
901T-010-100	3018229	Blade Length 103mm, Tip size T10	5
901T-015-150	3018236	Blade Length 136mm, Tip size T15	5
901T-020-150	3018243	Blade Length 136mm, Tip size T20	5
901T-025-150	3018250	Blade Length 136mm, Tip size T25	5
901T-027-150	3018267	Blade Length 136mm, Tip size T27	5
901T-030-200	3018274	Blade Length 160mm, Tip size T30	5
901T-040-200	3018281	Blade Length 160mm, Tip size T40	5
901T-045-200	3018298	Blade Length 160mm, Tip size T45	5
901T-050-200	3018304	Blade Length 160mm, Tip size T50	5

**TRADESMEN
QUALITY
EUROPEAN MADE**



T-Handle Screwdriver Sets

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
903T-1	3018410	6 pce T-Handle Screwdriver Set. Sizes: 3, 4, 5, 6, 8 & 10mm	1
903T-2	3018427	6 pce T-Handle Torx Screwdriver Set. Sizes: T10, T15, T20, T25, T30 & T40	1
903T-3	3018434	6 pce T-Handle Nut Driver Set. Sizes: 5, 6, 7, 8, 10 & 13mm	1



Screwdrivers

1000V INSULATED SCREWDRIVERS

Ratcheting Screwdriver Sets - 1000v

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
808061	0243839	7 piece 1000v Ratchet Screwdriver Set with 1000v interchangeable blades in nylon pouch. Set Contains: 1 X 808060 Ratchet Handle, 2 x Phillips Head blades - 1x PH1, 1 x PH2 , 4 x Slotted blades, 1 x 0.4 x 2.5, 1 x 0.5 x 3.0, 1 x 0.8 x 4.0, 1 x 1.1 x 5.5	1
808062	0243846	7 piece 1000v Ratchet Screwdriver Set with 1000v interchangeable blades Set Contains: 1 X 808060 Ratchet Handle, 2 x Pozi Drive blades - 1x PZ1, 1 x PZ2 4 x Slotted blades, 1 x 0.4 x 2.5, 1 x 0.5 x 3.0, 1 x 0.8 x 4.0, 1 x 1.1 x 5.5	1



Spare 1000v Insulated Blades

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
8010SL-2P	0243853	1000v Insulated blade - Slotted 0.4 x 2.5mm - 2 blades per pack	1
8220SL-2P	0243860	1000v Insulated blade - Slotted 0.5 x 3.0mm - 2 blades per pack	1
8040SL-2P	0243877	1000v Insulated blade - Slotted 0.8 x 4.0mm - 2 blades per pack	1
8050SL-2P	0243884	1000v Insulated blade - Slotted 1 x 5.5mm - 2 blades per pack	1
8610SL-2P	0243891	1000v Insulated blade - Phillips Head PH1 x 100 - 2 blades per pack	1
8620SL-2P	0243907	1000v Insulated blade - Phillips Head PH2 x 100 - 2 blades per pack	1
8810SL-2P	0243914	1000v Insulated blade - Pozi Head PZ1 x 100 - 2 blades per pack	1
8820SL-2P	0243921	1000v Insulated blade - Pozi Head PZ2 x 100 - 2 blades per pack	1



Spare 1000v Insulated Ratchet Handle

PRODUCT CODE	EAN 731415+	DESCRIPTION	PACK QTY
808060	0243822	Replacement Insulated Ratchet Handle with patented PUSH button blade release. 48 teeth ratchet, handle made with soft high-friction material for a comfortable non-slip grip.	1

