

ROSEBUD

- 60W (153 x 15mm) Motor
- 48" (1220mm) blade sweep
- 4 x Plywood blades
- 13 degree blade pitch
- Metal housing
- Fully light adaptable (without light)
- Light version: 1 x 60W E27 (not included)
- ☑ All Season technology for use all year round
- ☑ Remote control (light version only)

Installation

Rosebud ceiling fans are recommended for indoor use only. It's gentle airflow makes this ideal for bedrooms.



NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
ВМА	HIGH	54	220	4500
RF0	MEDIUM	37	180	2900
PEI	LOW	21	130	1500



TEMPO

- 60W (153 x 15mm) Motor
- 48" (1220mm) blade sweep
- 4 x Plywood blades
- 11 degree blade pitch
- Metal housing
- Light version: 2 x 40W E27
- ☑ 3-Speed Wall control included
- ✓ Remote adaptable

Installation

Tempo ceiling fans can be installed in indoor locations around the home. A great all rounder.









100010/13 - Brushed aluminium w/ silver blades

Light:



100012/05 - White



100012/13 - Brushed aluminium w/ silver blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
PERFORMA	HIGH	50	210	4500
	MEDIUM	34	179	3200
	LOW	18	122	1800



BRIGHTON

- 60W (153 x 15mm) Motor
- 52" (1320mm) blade sweep
- 4 x Plywood blades
- 11 degree blade pitch
- Metal housing
- Light version: 2 x 40W E27 (not included)

Installation

Brighton ceiling fans can be installed in indoor locations around the home.







100545/13 - Brushed aluminium w/ silver blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
AMA	HIGH	56	180	6478
F	MEDIUM	32	140	3417
PEI	LOW	17	100	1815



- 60W (153 x 15mm) Motor
- 52" (1320mm) blade sweep
- 4 x Plywood blades
- 12.5 degree blade pitch
- Diecast aluminium housing
- Light versions:
- 1x 100W R7s lineal halogen (not included) 2x 40W B22 (not included)
- 1 x 26W PL fluorescent tube (included)
- All Season technology for use all year round
 3-Speed Wall control (without light version only)
- ✓ Remote adaptable

Tempest ceiling fans can be installed in indoor locations around the home.



99983/05 - White



99983/13 - Brushed Chrome



99984/05 - White



99984/13 - Brushed Chrome w/ Silver Blades



99988/05 - White



99988/13 - Brushed Chrome w/ silver blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
RMA	HIGH	50	210	6788
FO	MEDIUM	34	179	4800
	LOW	18	122	2700



- 75W (188 x 15mm) Motor52" (1320mm) blade sweep
- 4 x Plywood blades
- 12.5 degree blade pitch
- Diecast aluminium housing
- Light adaptable with Alicia light kit (see page 27)
- 2 x 40W B22
- ☑ 3-Speed wall control included
- ✓ Remote adaptable

Super Tempest ceiling fans can be installed in indoor locations around the home. It's high performance makes it ideal for larger areas.







100667/13 - Brushed Chrome



100668/05 - White



100668/13 - Brushed Chrome w/ Silver Blades

Alicia Clipper Fan Light

Suitable only for use with the Super Tempest Fan. 2 x B22 Batten. Energy Saver Compatible.







Brushed Aluminium

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
RFORMA	HIGH	70	218	12501
	MEDIUM	32	146	8156
PE	LOW	11	79	4647



- 75W (188 x 18mm) Motor
- 52" (1220mm) blade sweep
- 4 x Plywood blades
- 14 degree blade pitch
- Diecast aluminium housing
- Light: 2 x 40W B22 (not included)
- ☑ All Season technology for use all year round☑ 3-Speed Wall control included☑ Remote adaptable

Whirlwind ceiling fans can be installed in indoor locations around the home. It's high performance makes it ideal for larger areas.



100547/05 - White w/ White Plywood Blades



100547/13 - Brushed Steel w/ Silver Plywood Blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
ВМА	HIGH	68	220	9800
RFOI	MEDIUM	31	132	5800
PEI	LOW	16	88	3900





- 60W (153 x 15mm) Motor
- 48" (1220mm) blade sweep
- 3 x Clear Acrylic blades
- 11 degree blade pitch
- Metal housing
- Light version: 2 x 40W E27 (not included)
- ✓ All Season technology for use all year round
- ✓ Remote adaptable

Installation Location

Jade ceiling fans can be installed indoor or outdoor under covered areas not exposed to the weather. It's gentle airflow makes it perfect for bedrooms.



100546/13 - Chrome w/ clear acrylic blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
RMA	HIGH	52	250	4000
ERFOR	MEDIUM	31	190	2480
PE	LOW	17	128	1360



- 75W (188 x 15mm) Motor52" (1320mm) blade sweep
- 5 x Plywood blades
- 12.5 degree blade pitch
- Metal housing
 Light: 2 x 40W E27 (not included)
- ☑ All Season technology for use all year round☑ 3-Speed Wall control included☑ Remote control (light version only)

Glacier ceiling fans can be installed in indoor locations around the home.








100542/13 - Brushed Metal w/ silver blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
AMA	HIGH	68	180	8990
RFOI	MEDIUM	41	135	6050
P	LOW	15	75	3350



- 75W (194 x 14mm) Motor
- 52" (1320mm) blade sweep
- 4 x (304) Stainless Steel blades
- 23 degree blade pitch
- Stainless Steel housing

 $\ensuremath{ \ensuremath{ \en$

- ✓ Remote adaptable✓ Fully light adaptable

Installation Location

Somers ceiling fans can be installed in a many locations around the home, including outdoor under covered areas not exposed to the weather.



100540/16 - Brushed Chrome w/ (304) Stainless Steel blades

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
RFORMA	HIGH	68	250	12453
	MEDIUM	30	180	8300
В	LOW	14	110	4600



- 60W (188 x 15mm) Motor
- 52" (1320mm) blade sweep
- 3 x (316) Stainless Steel blades
- 22 (17+5) degree blade pitch
 (316) Stainless Steel housing
- Ø All Season technology for use all year round Ø 3-Speed Wall control included Ø Remote adaptable


- ✓ Fully light adaptable

Vortex 3 ceiling fans can be installed indoors or outdoor under covered areas not exposed to the weather.



100538/16 - (316) Stainless Steel

NCE	Speed	Wattage	RPM	Airflow in (m³/hr)
RFORMA	HIGH	55	221	12292
	MEDIUM	35	179	8517
ЫE	LOW	13	104	4779



- 48" (1320mm) blade sweep 60W (188 x 15mm) Motor
- 52" (1320mm) blade sweep
- 56" (1320mm) blade sweep 75W (188 x 20mm) Motor
- 4 x (316) Stainless Steel blades
- 22 (17+5) degree blade pitch
- (316) Stainless Steel housing
- ☑ All Season technology for use all year round☑ 3-Speed Wall control included
- ✓ Remote adaptable
- ✓ Fully light adaptable

Installation Location

Vortex 4 ceiling fans can be installed indoor or outdoor under covered areas not exposed to the weather.



100537/16 - (316) Stainless Steel



100536/16 - (316) Stainless Steel



100539/16 - (316) Stainless Steel

	Speed	Size	Wattage	RPM	Airflow in (m³/hr)
		48"	55	251	12693
ш	HIGH	52"	67	263	11772
PERFORMANCE		56"	70	224	13302
AM.	MEDIUM	48"	31	190	8686
FO		52"	32	178	7407
E E		56"	32	151	8767
	LOW	48"	12	113	5091
		52"	11	97	4158
		56"	11	81	5169







Deluxe Model

Radio Frequency 12 month warranty LCD screen Functions:



LOW/MED/HIGH 24 hour timer 3 minute delay Tempearture control

99998





Radio Frequency 12 month warranty Functions: **Light**-ON/OFF

Fan-ON/OFF Fan Speed LOW/MED/HIGH

99999



DOWNRODS

47801/05 900mm with white finish

47821/11 900mm with brushed aluminium finish

47801/13 900mm to suit Brilliant's TEMPO ceiling fans

with brushed chrome finish

47802/00 Easy connect wiring loom for extension rods

100645/05 600mm rod with loom kit White [../13 Brushed steel] 100550/05 900mm rod with loom kit White [../13 Brushed steel]

100665 600mm Stainless steel 316 Extension Rod with loom kit 100666 900mm Stainless steel 316 Extension Rod with loom kit

Use downrods if the distance between the ceiling fan and the floor is greater than 2.4m (8ft)



FANLIGHTS



Elite 3 Light Fan Light 26131.. 3 x 50W GU10. /13 Brushed Steel



Sorrento Eco 3 Light Fan Light 25241.. 3 x 11W GU10 Energy Saver. /22 Antique Brass /13 Brushed Chrome /05 White



Vogue 3 Light Fan Light 25131.. 3 x 50W GU10. /13 Brushed Chrome /05 White



Alicia Clipper Fan Light 100671.. Suitable only for use with the Super Tempest Fan. 2 x B22 Batten. Energy Saver Compatible. /13 Brushed Aluminium /05 White



Adelle Clipper Fan Light 100650... 1 x 60W E27 Screw. Energy Saver Compatible. /13 Brushed Chrome /05 White



Ariel Clipper Fan Light

25250/13 Matt opal glass w/ Satin metal (E27 Screw)

../05 Matt opal glass w/ White (E27 Screw)

25251/13 Alabastor glass w/ White (E27 Screw)
../05 Alabastor glass w/ White (E27 Screw)
25254/13 Matt opal glass w/ Satin metal (B22 Batten)

../05 Matt opal glass w/ White (B22 Batten)



CEILING FANS IN YOUR HOME

Brilliant fan motors are "tropically rated" for our harsh Australian environment. They use high-grade copper windings, silicon-steel stators and sealed bearings for long and quiet life of operation. Showing virtually no motor movement and cool operational temperatures this proficient motor is guaranteed lasting operation.

Our blades are organised into sets based upon exact weight measurements to ensure smooth and quiet operation.

Brilliant Fans are covered by a 2 year warranty, with a further 3 years on a motor, giving you the best protection against any faults for your peace of mind.



Brilliant Lighting 956 Stud road, Rowville VIC 3178 Australia T +61 (3) 9765 2555 F + (3) 9763 0277 www.brilliantlighting.com.au

YOUR STOCKIST: