

Catalogue No: **DMB-51-C-W24**

TIMER M/FUNCTION 12-240VACDC SUPPLY 1 C/O 0.1S-100H 17.5mm

Timers and Control Relays > Timers, Time Switches and Counters > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Multi-function Time Delay Relays > DIN mount



Representative Photo Only
(actual product may vary based on configuration selections)

Time delay relay, multifunction, 12 - 240V AC/DC, 1 C/O, DIN rail

- Multitude of timing functions available (On Delay, Interval, Off Delay, One Shot, Star-Delta, and Recycler) for practically every application.
- Available in either DIN or Panel mount to suit your preference.
- Variety of relay output types (SPDT,DPDT) and adjustable timing ranges available, dependent on your switching requirements.
- International certifications and wide install base ensuring delivery of a quality tested product.

SPECIFICATIONS	
Timing Function	Multi-function
Time Range(s)	6min ... 1h 6s ... 1min 100ms ... 1s 1 ... 10h 1 ... 10min 1 ... 10s 10 ... 100h
Power Consumption	4 VA / 1.5 W VA/W
Max. Operating Frequency	7200 cycles/hour
Nominal Frequency	45-65 Hz
Supply Voltage	12-240 V AC/DC
Contact Ratings DC12 at 24 V DC	5 A
Contact Ratings DC 13 at 24 V DC	2.5 A
Contact Ratings AC 15 at 250 V AC	2.5
Contact Ratings AC 1 at 250 V AC	5 A
Contact configuration	1 CO
Housing	17.5mm DIN rail
Mounting (Multiple)	DIN-35 Rail Mount
Time Setting Accuracy	≤5 %




Catalogue No: **DMB-51-C-W24**

TIMER M/FUNCTION 12-240VACDC SUPPLY 1 C/O 0.1S-100H 17.5mm

Timers and Control Relays > Timers, Time Switches and Counters > Time Delay Relays > Carlo Gavazzi Time Delay Relays > Multi-function Time Delay Relays > DIN mount



REFERENCES	
IECEX Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	DMB51CW24_ManufacturerDatasheet
Manufacturer Catalogue & Product Selection:	-



Dimension Diagram

Connection / Wiring Diagram

