



Base For 40/44 Relays Box Clamp w/Plastic Clip

- Complete range from PCB to power relays to cover all of your switching requirements
- International certifications and approvals including CE, CSA, EAC, PCT, RINA, VDE and RoHS, providing quality assurance of a market leading product
- Compact construction allowing for most efficient use of your space

Representative Photo Only
(actual product may vary based on configuration selections)


SPECIFICATIONS	
Component Type	Timers and Control relays
Relay Base	
Dielectric Strength, between open Contacts	1000 V AC
Mounting	PCB Mount
Shock Acceleration (Max.)	20 g
Shock Duration (Max.)	5 ms
Vibration Acceleration (Max.)	25 g

REFERENCES	
IECEEx Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	-
User Manual:	-
Manufacturer Datasheet:	-
Manufacturer Catalogue & Product Selection:	-

Catalogue No: **95.05**

BASE FOR 4051/52/61 4462 & 9902 LED BOX CLAMP W/ PLSTIC CLIP

Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > PCB and Miniature Relays > 40/44 Series Miniature PCB Relays




Dimension Diagram

Catalogue No: **95.05**

BASE FOR 4051/52/61 4462 & 9902 LED BOX CLAMP W/ PLSTIC CLIP


Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > PCB and Miniature Relays > 40/44 Series Miniature PCB Relays



Catalogue No: **95.05**

BASE FOR 4051/52/61 4462 & 9902 LED BOX CLAMP W/ PLSTIC CLIP

Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > PCB and Miniature Relays > 40/44 Series Miniature PCB Relays



COIL

95.05

Connection / Wiring Diagram

Catalogue No: **95.05**

BASE FOR 4051/52/61 4462 & 9902 LED BOX CLAMP W/ PLSTIC CLIP

Timers and Control Relays > General Purpose Relays > Electromechanical Relays > Finder Electromechanical Relays > PCB and Miniature Relays > 40/44 Series Miniature PCB Relays

