

# Catalogue No: **DGT 1 230SLIM**

## TIME SWITCH 1C/O 30MEM 230VAC CONTROL 17.5mm FRAME

Timers and Control Relays > Timers, Time Switches and Counters > Time Switches > Finder Digital Time Switches > Weekly Time Switches



Representative Photo Only  
(actual product may vary based on configuration selections)

### TIME SWITCH 1C/O 30MEM 230VAC CONTROL 17.5mm FRAME

- Intelligent timing control of your loads to maximize efficiency and sustainability.
- Available in a weekly model for standard applications or weekly with astro functionality to capitalize on usage around sunrise and sunset.
- Intuitive button menu structure on device and PC software available for efficient programming of multiple units.
- Simple selection of Australian daylight savings settings to ensure smooth transition and reliable operation all year round.

#### SPECIFICATIONS

Component Type	Timers and Control relays	Time Switch
Un, Nominal Operational Voltage, AC	250 V AC	
Ue, Rated Operational Voltage, AC, min	207 V AC	
Ue, Rated Operational Voltage, AC, max	253 V AC	
In, Rated Current	16 A	
Ie, Rated Operational Current, max	30 A max	
Rated Load, AC-1	4000 VA	
Rated Load, AC-15	420 VA	
Control Voltage, AC, Nom	230 V AC	
Rated Frequency	50 / 60 Hz	
Number of Stored Values	30 qty stored	
Program Type	Weekly / 7 day	
Contact Configuration	1 CO	
Time, Power Reserve	6 yr	
Battery Backup	Yes	
Switching Time, Min (m)	1 min	
Number of Poles	1	
Material, Contacts	Silver Nickel (AgNi) material	
Electrical Service Life at Un, In	50000 cycles	
IP Rating	IP20	
Mounting	DIN-35 Rail Mount	
Terminal Type	Screw Terminal(s)	
Wire / Conductor Size (Max)	6 mm <sup>2</sup>	
Height	90 mm	
Width	17.8 mm	
Depth	63 mm	
Operating Temperature, min	-30 °C min	

# Catalogue No: **DGT 1 230SLIM**

## TIME SWITCH 1C/O 30MEM 230VAC CONTROL 17.5mm FRAME


Timers and Control Relays > Timers, Time Switches and Counters > Time Switches > Finder Digital Time Switches > Weekly Time Switches



Operating Temperature, Max	55 °C max
Standards Compliance	EN 60715 EN 61000-4-2 EN 61000-4-3 EN 61000-4-4 EN 61000-4-5 EN 61000-4-6 EN 61000-4-11
Certifications	CE EAC GOST

### REFERENCES

IECEx Certificate	-
Supplier Declaration of Conformity:	-
Installation Guide:	<a href="#">DGT1230SLIM_Installation Instructions</a>
User Manual:	-
Manufacturer Datasheet:	<a href="#">DGT1230SLIM_Manufacturer Datasheet</a>
Manufacturer Catalogue & Product Selection:	<a href="#">DGT1230SLIM_Manufacturer Catalogue</a>




Dimension Diagram

Catalogue No: **DGT 1 230SLIM**

TIME SWITCH 1C/O 30MEM 230VAC CONTROL 17.5mm FRAME

Timers and Control Relays > Timers, Time Switches and Counters > Time Switches > Finder Digital Time Switches > Weekly Time Switches



Connection / Wiring Diagram