

PRODUCT DATA SHEET

Date Of Issue: 07/08/18

Part No: AC500502

ARC Plus UltraSoft CAT 4 Switching Coat

Features

- Manufactured from 3 layers of UltraSoft Arc Rated Flame Retardant S301 237gsm Orange fabric
- UltraSoft is 88% cotton, 12% high tenacity nylon
- Velcro front closure & mandarin collar
- Velcro tab closure/adjustment on sleeve
- Sewn with Nomex thread
- Garment is NFPA CAT 4 compliant, 47 cal/cm²
- Designed to be worn with Legging AC500112 for full body protection
- Standard length 1300mm
- Sizes Small – 5XL
- Custom lengths also available
- Made In Australia



Standards Compliance

- NFPA 70E Electrical Safety in the Workplace compliant CAT 4, ATPV 47 cal/cm²
- AS/NZS 1020:1995, The Control of undesirable static electricity
- Oeko-Tex Standard 100 Class II
- AS/NZS 1906.4.2010, High Visibility Material for Safety Garments
- EN ISO11612:2015 Protective Clothing Protect Against Heat & Flame A1, A2, B1, C1
- ASTM F1959, Standard Test Method Determining Arc Rating of Materials for Clothing
- ASTM D6413, Standard Test Method for Flame Resistance of Textiles (Vertical Test)

Disclaimer: The information contained in this data sheet is believed to be true at the time of printing. It is up to the user to determine suitability of use, or potential infringement for specific applications.