


Emergency Lighting LED Satellite range



CAT NO. 684850, 684851, 684852, 684860, 684861, 684862, 684870, 684871, 684874



- Suitable for all emergency lighting applications
- Energy efficient: less than 1W energy consumption in stand by mode (SPU)
- Easy to install
- Suitable for different hole sizes
- Four different dish sizes
- Two rate charge mechanism
- One high Brightness LED
- Available in D40 and D25 classification
- SPU or Axiom options
- Surface mounting option
- Also available in black
- Compliant to AS2293

Premium SPU Satellites			
684850	Satellite LED 1x02W Flex and Plug	SRLED102FP	9322276848508
684855	Satellite LED 1x02W D25 Flex and Plug	SRLED102FPD25	9322276848553
684851	Satellite LED large 1x02W Flex and Plug	SRLEDLRG102FP	9322276848515
684852	Satellite LED 1x02W Flex and Plug Black	SRLED102FPBLK	9322276848522
684853	Satellite LED 1x02W Surface mount	SRLED102SM	9322276848539
684854	Satellite LED 1x02W Black surface mount	SRLED102BLKSM	9322276848546
684875	Satellite LED 1x02W Weatherproof surface mount	SRLED102WP	9322276848751
684876	Satellite LED 1x02W Replacement Kit	SRLED102REPL	9322276848768
684878	Satellite LED 1x02W Weatherproof surface mount - Freezer	SRLEDWPSBOX	9322276848782
Axiom			
684860	Axiom Satellite LED 1x02W Flex and Plug	AXSRLED102FP	9322276848607
684861	Axiom Satellite LED Large 1x02W Flex and Plug	AXSRLEDLRG102FP	9322276848614
684862	Axiom Satellite LED 1x02W Flex and Plug Black	AXSRLED102FPBLK	9322276848621
684863	Axiom Satellite LED 1x02W Surface mount	AXSRLED102SM	9322276848638
684864	Axiom Satellite LED 1x02W Black surface mount	AXSRLED102BLKSM	9322276848645
684879	Axiom Satellite LED 1x02W Weatherproof Surface mount	AXSRLED102WP	9322276848799
684880	Axiom Satellite LED 1x02W Weatherproof surface mount - Freezer	AXSRLEDWPSBOX	9322276848805
Accessories			
684870	Spinning for LED Satellite Large Kit	SPSRLEDLRGKIT	9322276848706
684871	Spinning for LED Satellite Black Kit	SPSRLEDBLKKIT	9322276848713
684874	Battery Pack for LED Satellite 1x02W	BPSRLED102	9322276848744

Product specifications		
Cat No	684850	684860
Type	SPU	AXIOM/Commander
Lamp	1x2W HBLED	
Battery	NiCd 5 x1 Sub-C cells linear - 6.0Vdc 1.5Ah	
Charging Mechanism	Dual Rate Charge	
Charging Current	150mA (hrc) - 40mA (lrc)	
Operating Voltage	240V a.c. +/- 6% 50Hz	
Power Consumption	0.95W	1.4W
Body Constructions	Polycarbonate white	
Operating Temperature	10° to 40°	
Lighting Classification	C ₀ /C ₉₀ D40/D40	
IP Rating	IP20	

Packaging specifications		
Cat No	SPU	Axiom
Single box quantity	1	1
Single box dimensions (WxHxD) mm	255mm x 64mm x 255mm	255mm x 64mm x 255mm
Single box weight	350g	395g

Dish sizes	Dish diameter	Hole cut-out	Recommended hole cut out
Extra small	56mmØ	52mmØ	52mmØ
Small	80mmØ	52mm - 60mmØ	55mmØ
Medium	120mmØ	52mm - 85mmØ	75mmØ
Large	150mmØ	75mm - 125mmØ	120mmØ

Emergency Lighting LED Satellite range

CAT NO. **684850, 684851, 684852, 684860, 684861, 684862, 684870, 684871, 684874**

HPM Legrand - AUS
1300 369 777
www.legrand.com.au

HPM Legrand - NZ
0800 476 009
www.legrand.co.nz

Refer to your group buying office, HPM Legrand Sales Representative or HPM Legrand Sales Office for pricing.