



# TUV T8

## TUV T8 F17 1SL/25

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

### Product data


General Information	
Cap base	G13 [ Medium Bi-Pin Fluorescent]
Main application	Disinfection
Life to 10% failures (nom.)	7500 h
Useful life (nom.)	9000 h
System description	na [ -]
Light Technical	
Colour Code	TUV
Colour Designation	- [ Not Specified]
Depreciation at Useful Lifetime	15 %
Operating and Electrical	
Power (Rated) (Nom)	16.7 W
Lamp current (nom.)	0.265 A
Voltage (Nom)	72 V
Approval and Application	
Mercury (Hg) content (nom.)	2.0 mg

### Warnings and Safety

UV	
UV-C Radiation	4.5 W
Product Data	
Full product code	871150026413840
Order product name	TUV T8 F17 1SL/25
EAN/UPC – product	8711500264138
Order code	927941904020
Local Code	TUV18W
Numerator – quantity per pack	1
Numerator – packs per outer box	25
Material no. (12NC)	927941904020
Net weight (piece)	100.000 g

TUV T8


Dimensional drawing




Product	D (max)	A (max)	B (max)	B (min)	C (max)
TUV T8 F17 1SL/25	28 mm	589.8 mm	596.9 mm	594.5 mm	604.0 mm

TUV TL-D 18W

Photometric data



XDPB\_XUTUVTLD-Spectral power distribution B/W



XDPO\_XUTUVTLD-Spectral power distribution Colour

