



AFFINITY SE7359TC - 8W

Dimmable, 8 watt LED circular profile, IP65 wall mount with selectable CCT

Application


Residential or commercial feature walkways and facades

Design Specifications

- Stylish, indirect optical design
- Durable aluminium circular profile, choice of white or black
- IP65 for interior or exterior use
- Integral flickerCONTROLLED LED control gear
- Selectable CCT, CRI>80
- IK06

Performance

- Dimmable - **YES**
- Dimmer Type - **trailing edge**



Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	SE7359TC/WH	240	8	530/600/590	3000/4000/5700	80
	SE7359TC/BK	240	8	530/600/590	3000/4000/5700	80

Beam Angle (°)	Dimmable	Diameter (mm)	Dim (mm)	Body Colour
90	YES	160	50(H)	WHITE
90	YES	160	50(H)	BLACK

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions






Image courtesy of QCE,
photography Indie Lane Tourquay

**DID
YOU
KNOW** ?

Before selecting a luminaire, look for the marks of Compliance and Safety. Starting with the RCM mark, this signals that the product has been tested to all relevant Australian Safety standards, to ensure the product delivers its designed safety performance.